

**READ THIS BEFORE YOU DONATE!**

Thank you for coming in today! We know that you would not donate unless you think your blood is safe. However, in order for us to assess all risks that may affect you or a patient receiving a transfusion, it is essential that you answer each question completely and accurately. If you don't understand a question, ask the blood center staff. All information you provide is confidential.

**Donation Process**

**To determine if you are eligible to donate, we will:**

- Ask about your health and travel
- Ask about medicines you are taking or have taken
- Ask about your risk for infections that can be transmitted by blood – especially AIDS and viral hepatitis
- Take your blood pressure, temperature and pulse
- Take a blood sample to be sure your blood count is acceptable

**Why we ask about travel to or birth in other countries:**

Blood donor tests may not be available for some infections that are found only in certain countries. If you were born in, have lived in, or visited certain countries, you may not be eligible to donate.

**Why we ask about contact with someone else's blood:**

Infectious diseases may be spread through contact with blood. We ask questions about contact with someone else's blood because this contact may represent a risk to patients receiving a transfusion. When we ask about contact with blood, we mean any of the following:

- Exposure to non-intact skin (open wounds or skin that is chapped, scraped, or afflicted with dermatitis)
- An accidental needle-stick or other sharps injury that has been used on any individual or patient
- A human bite that breaks the skin
- Exposed to eye, nose, or mouth (mucous membranes)

If you have had any of these risk factors in the last 3 months, **do not** donate. If you work with patients or around blood, please carefully consider the last 3 months to ensure that none of these exposure risk factors apply to you.

**If you are eligible to donate, we will:**

- Clean your arm with an antiseptic. Tell us if you have any skin allergies
- Use a new, sterile, disposable needle to collect your blood

**What Happens After Your Donation**

To protect patients, your blood is tested for several types of hepatitis, HIV, syphilis, and other infections. If your blood tests positive it will not be given to a patient. There are times when your blood is not tested. If this occurs, you may not receive any notification. You will be notified about any positive test result which may disqualify you from donating in the future. The blood center will not release your test results without your written permission unless required by law (e.g. to the Health Department).

**Donor Eligibility: Specific Information**

**Why we ask about sexual contact**

Certain diseases, such as AIDS and hepatitis, can be spread through sexual contact and enter your bloodstream. We will ask specific questions about sexual contact.

**What do we mean by “sexual contact?”**

The words “have sexual contact with” and “sex” are used in some of the questions we will ask you, and apply to any of the activities below, whether or not a condom or other protection was used:

- Vaginal sex (contact between penis and vagina)
- Oral sex (mouth or tongue on someone's vagina, penis, or anus)
- Anal sex (contact between penis and anus)

**HIV/AIDS risk behaviors**

HIV is the virus that causes AIDS. It is spread mainly by sexual contact with an infected person OR by sharing needles or syringes used by an infected person for injecting drugs.

**Do not donate if you:**

- Have ever had HIV/AIDS or have ever had a positive test for the HIV/AIDS virus
- Have used needles to take any drugs not prescribed by your doctor IN THE PAST 3 MONTHS
- Have taken money, drugs or other payment for sex IN THE PAST 3 MONTHS
- Have had sexual contact IN THE PAST 3 MONTHS with anyone who has ever had HIV/AIDS or has ever had a positive test for the HIV/AIDS virus, ever taken money, drugs or other payment for sex, or ever used needles to take any drugs not prescribed by their doctor
- Are a male who has had sexual contact with another male, IN THE PAST 3 MONTHS
- Are a female who has had sexual contact IN THE PAST 3 MONTHS with a male who has had sexual contact with another male IN THE PAST 3 MONTHS
- Have had syphilis or gonorrhea IN THE PAST 3 MONTHS
- Have been in juvenile detention, lockup, jail or prison for 72 or more consecutive hours IN THE PAST 12 MONTHS
- Have a history of Ebola virus infection or disease

**Do not donate to get a test!** If you think you may be at risk for HIV/AIDS or any other infection, do not donate simply to get a test. Ask us where you can be tested outside the blood center.

**Do not donate if you** have these symptoms which can be present before an HIV test turns positive:

- Fever
- Enlarged lymph glands
- Sore throat
- Rash

Your blood can transmit infections, including HIV/AIDS, even if you feel well and all your tests are normal. This is because even the best tests cannot detect the virus for a period of time after you are infected.

**IMPORTANT NEW INFORMATION**

**DO NOT DONATE if you:**

- Are taking any medication to prevent HIV infection these medications may be known by you under the following names: PrEP, PEP, TRUVADA, or DESCOVY.
- Have taken such a medication in the past 3 months.
- Have EVER taken any medication to treat HIV infection. DO NOT donate if your donation might harm the patient who receives the transfusion.

**THANK YOU FOR DONATING BLOOD TODAY!**