HIM.2.4 Respond to Lookback Investigations					
Procedure Area:	Hospital Inventory Management Procedures (HIM)	Version:	1.2		

## **Purpose**

To discard blood components from a donor who tested reactive or repeatedly reactive for a qualifying disease marker on a subsequent donation.

### Scope

**Customers** 

#### **Materials**

- ✓ Partially completed Inventory Discard/Supplemental Testing Notification form (initiated in QA.2.8)
- ✓ Issue/Complaint Report, if needed (initiated in **HIM.2.1**)

## **Procedure Steps**

- 1. Receive the faxed *Inventory Discard/Supplemental Testing Notification* form. See Figure 1 for an example.
- 2. Print your name and then sign and date the form. Keep in mind that by signing the form, you are acknowledging receipt of the *Inventory Discard/Supplemental Testing Notification* form, including the component information listed on the form.
- 3. Determine the disposition of the blood component listed in the Component section of the *Inventory Discard/Supplemental Testing Notification* form, and handle as follows:

In inventory?	Do this
Yes	<ul> <li>Discard/destroy the component.</li> <li>Complete an <i>Issue/Complaint Report</i> as detailed in <i>HIM.2.1</i> for the component.</li> <li>Fax the <i>Issue/Complaint Report</i> with a copy of the completed <i>Inventory Discard/Supplemental Testing Notification</i> form to the blood center servicing your facility.</li> </ul>
No	Proceed to the next step.

- 4. Fax the completed *Inventory Discard/Supplemental Testing Notification* form to the fax number printed at the bottom of the form.
- 5. You will be notified via certified mail generally within 45 days of the repeatedly reactive test results if the donor's test results were confirmed and recipient notification is required. Contact Quality Assurance using the phone number provided on the *Inventory Discard/Supplemental Testing Notification* form if you have any questions.

#### **Related Documents**

- HIM.2.1 (Report an Issue/Complaint)
- QA.2.8 (Perform Lab Review)

HIM.2.4	2.4 Respond to Lookback Investigations				
Procedure Area:	Hospital Inventory Management Procedures (HIM)	Version:	1.2		

Case File Number: \	N11512031	04486					
To: Childrens Hos	spital	Date n	otification sent: 03	/09/202	1		
Our records indicate t were NONREACTIVE donation the donor te	/NEGATIVE f	or viral marker	testing at the time	of distribu			
			Test Name				
	HBsAg						
ponent		<u> </u>	1				T
Unit Number / DIN	Product Code	Exp. Date	Date Shipped	Transaction Number		Box #	BOL#
W11512025323B	E0701V00	10/15/2021	11/01/2020	20041-	-000717	001	n/a
nfirmation/Sup □ Additional resu ☑ No further testi	- ılts pending (tl	-	resent with supple	emental re	sults upor	completion)	
Name of	Name of Test Test Results Date Tested						
HBsAg Neutralization			Reactive		03/09/2021		
Please acknowledge 7782.	receipt of this	information by	signing and return	ing form t	o LifeSout	n by FAX at 35	2-334-
Form Completed By:	Deanne \ (print na		Date:03/0	09/2021_		-	
	/p						

Figure 1, Inventory Discard/Supplemental Testing Notification form

# HIM.2.4 Respond to Lookback Investigations

Procedure Area: Hospital Inventory Management Procedures (HIM) Version: 1.2

## **Version History**

#	Significant Changes	Approved by	Approved	Implemented
1.2	Added Figure 1 as an example of <i>Inventory Discard/Supplemental Testing Notification</i>	Dr. Juan Merayo-Rodriguez, Medical Director	05 Mar 2021	23 Mar 2021
	form.  • Updated references to Inventory Discard/Supplemental Testing Notification	Dr. Chris Lough, Medical Director		
	form.	Lori Masingil, VP of Quality		
1.1	<ul> <li>Changed <i>QA.2.4</i> references to <i>QA.2.8</i>.</li> <li>Changed contact for customer questions from</li> </ul>	Dr. Juan Merayo-Rodriguez, Medical Director	13 Dec 2016	17 Jan 2017
	Medical Office to Quality Assurance.	Dr. Chris Lough, Medical Director		
		Matt Audette, QA Manager		
		CBCC Medical Director		
1.0	Replaced Request for Credit form with Issue/Complaint Report.	Dr. Juan Merayo-Rodriguez, Medical Director	03 Jun 2015	23 Jun 2015
	Added version information.  Note: Prior versions of this document may exist; version numbers were applied to policies and procedures	Dr. Marek Fried, Medical Director		
	beginning in ~Jan. 2015.	Richard Jones, QA Manager		
		CBCC Medical Director		